

USB-IF COMPLIANCE PROGRAM

USB 2.0 Test Report for Full Speed Device

TM

Company Name: Holtek Semiconductor Inc.

Model Name: HT45B0K

Product Type: _____

Product Receive Date: 2010/01/04

Test Start Date: 2010/01/04

Report Date: 2010/01/06

Test Result: **PASS**

USB-IF COMPLIANCE PROGRAM

Legal Disclaimer

1. TEST RESULT IS VALID ONLY TO THE ORIGINAL TESTED DEVICE MODEL. ALLION RESERVES THE RIGHT TO PROHIBIT OTHERS TO DISTORT, ISOLATE, FALSIFY, COPIED AND/OR BY ANY PROCESS TO CHANGE THE CONTENT OF THIS TEST REPORT UNLESS IT IS PRIOR APPROVED BY ALLION.

TM

USB-IF COMPLIANCE PROGRAM

Company

Company Name: Holtek Semiconductor Inc.
Company Address: No.3,Creation Rd. II Science Park, Hsinchu 300, Taiwan, R.O.C.
VID (Dec): 04D9 The VID for the company who apply the USB-IF logo.

Technical Contact

Name: 黃俊諺
Phone Number: 03-5631999 分機 1797
E-Mail: cyhuang@holtek.com.tw
FAX Number: 03-5641557

Marketing Contact

Name: _____
Phone Number: _____
E-Mail: _____
FAX Number: _____

Product Information:

Silicon Model Name: _____ TID (If you know): _____

*** These are requirement fields. All testing will be held until information is completed. ***

- Retail Device Device and Silicon Silicon Only
 Hi Power Low Power
 Bus Powered Self Powered
 Untethered B Tethered

Highest capacity tested for Mass Storage Device: _____

Device Category: HID device Device Description: _____

VID: _____ PID: _____

Tested OS: Win 2000 Win XP (Standard test fee will cover 1 OS only.)

Tester: Alex Chuang

Authorized Signature: *Eric Chen*

Project ID : UNC-HOK-USB-024_1

USB-IF COMPLIANCE PROGRAM

Legacy USB Compliance Tests

Frameworks Test Result: Pass Fail

Chapter 9: Pass Fail

HID View: Pass Fail N/A

MSC Test: Pass Fail N/A

UVC Test: Pass Fail N/A

Interface: 1 MAX Power: 100 mA Remote Wakeup: Yes

Power Current Test Result: Pass Fail

Operating Power: 14.0 mA Unconfiguration Power: 13.5 mA
(<= Max Power <= 100mA for Low Power) (<= 100mA)
(<= Max Power <= 100mA for Self Power)
(<= Max Power <= 500mA for High Power)

Configuration Power: 13.5 mA
(<= Max Power <= 100mA for Low Power)
(<= Max Power <= 500mA for High Power)

Suspend Mode Power with Remote Wake Up: 340 uA

Suspend Mode Power without Remote Wake Up: 340 uA
(<= 2500uA)

Interoperability Test Overall Result: Pass Fail OS: W2k XP

EHCI Controller:

- | | | |
|---|--|--|
| 1. Enumeration and Driver installation: | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 2. Check operation of device | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 3. Interoperability – Operate all device: | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 4. Hot plug test | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 5. Warm Boot test | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 6. Remote Wake-up test | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail <input type="checkbox"/> N/A |
| 7. S3 Active Standby Test | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 8. S3 Active Standby Resume Test | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 9. Topology change | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 10. S4 Active Hibernate Test | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |
| 11. S4 Active Hibernate Resume Test | <input checked="" type="checkbox"/> Pass | <input type="checkbox"/> Fail |

Project ID : UNC-HOK-USB-024_1

USB-IF COMPLIANCE PROGRAM

UHCI Controller:

12. Interoperability – Operate all device: Pass Fail

OHCI Controller:

13. Interoperability – Operate all device: Pass Fail

Signal Quality Test Result: Pass Fail

Full Speed UP Stream Signal Quality: Pass Fail

Inrush Current Test: Pass Fail

Back Voltage Test Result: (Enumerate before/after) Pass Fail

D+: 0 mV / 0 mV

D- : 0 mV / 0 mV

V_{Bus}: 0 mV / 0 mV

(All values <= 400mV)

TM

USB-IF COMPLIANCE PROGRAM

More Detail Test Result:

1. Full Speed Upstream Signal Quality: Pass

- Overall result: pass!
- Signal eye:
eye passes
- EOP width: 167.39 ns
EOP width passes
- Measured signaling rate: 11.9997 MHz
signal rate passes
- Crossover voltage range: 1.43 V to 1.59 V, mean crossover 1.50 V
(first crossover at 1.59 V, 10 other differential crossovers checked)
crossover voltages pass
- Consecutive jitter range: -198.463 ps to 185.419 ps, RMS jitter 110.644 ps
Paired JK jitter range: -51.320 ps to -12.502 ps, RMS jitter 37.350 ps
Paired KJ jitter range: -304.122 ps to 220.397 ps, RMS jitter 208.659 ps
jitter passes



Additional Information

- Rising Edge Rate: 330.95 V/us (Equivalent risetime = 7.98 ns)
(minimum 132.00 V/us, maximum 660.00 V/us)
- Falling Edge Rate: 250.55 V/us (Equivalent risetime = 10.54 ns)
(minimum 132.00 V/us, maximum 660.00 V/us)
- Edge Rate Match: 32.09% (limit +/-10%)

Signal Data and Eye

Project ID : UNC-HOK-USB-024_1

USB-IF COMPLIANCE PROGRAM



Project ID : UNC-HOK-USB-024_1



© Allion Test Labs, Inc. All rights reserved.
 9F, No. 3-1, Yuan Ku Street, Taipei, Taiwan, 11503, R.O.C.
 Phone: +886-2-77228800 Fax: +886-2-26557879


USB-IF COMPLIANCE PROGRAM

2. Inrush Current: Pass

- Overall result: pass!
- Inrush at 5.000 V: 1.603 μC
inrush passes
- Region 1 Start: 0.00125 ms - End: 0.105 ms = 1.603 μC
- Region 2 Start: 49.450 ms - End: 49.550 ms = 0.0035 μC

TM

Hot Plug (Attach) Current Draw



Test Procedure Reference:

1. Universal Serial Bus Implementers Forum Full and Low Speed Electrical and Interoperability Compliance Test Procedure, version: 1.3

Project ID : UNC-HOK-USB-024_1



© Allion Test Labs, Inc. All rights reserved.
9F, No. 3-1, Yuan Ku Street, Taipei, Taiwan, 11503, R.O.C.
Phone: +886-2-77228800 Fax: +886-2-26557879